

## L2SSQ LED Slim Strip

The L2SSQ series showcases a slim profile, allowing for installation in tight and restrictive spaces.

Benefit from high-performance light output without sacrificing smooth and uniform lighting. With its sleek and modern square lens design, the L2SSQ series is the ideal choice for commercial, industrial, and retail applications.



### ■ Color Selectable

Versatile LED strip luminaires with the ability to adapt to the colour temperature (3 500/4 000/ 5 000 K) for a variety of projects and applications. A single SKU can now replace up to 6 individual luminaires - a distributor's best friend!


### ■ 120-347 V

Say goodbye to stocking both 120-227 V and 347 V configurations and never worry about sending the wrong voltage to a job site - our drivers function automatically between 120 V and 347 V.

### ■ Square Lens Design

Whether surface, suspended or row mounted, the L2SSQ provides a modern aesthetic with its straight edge profile. The sleek form factor makes it an appealing choice that can be used across multiple applications.

## L2SSQ - At a Glance



## Aviation Cable Kit (Sold Separately)


For suspended applications, our aviation cable kit combines both style and function for a finished look. This all-in-one kit includes 10 feet of aviation cable, power cord, dimming wires, and a canopy for the junction box.



## Accessories (Sold Separately)

Take your L2SSQ Series luminaires to the next level with these accessories!

### Wire Guards



### Continuous Row Mounting Connector



### V-Hooks



### Suspension Chain Kit




### PIR Motion Sensor



## Included with Every Luminaire!



Junction Box Cover Plate



Mounting Brackets

## Summary Specification Table

Order code	Model number	Watts (W)	Volts (V AC)	Color temp. (K)	Lumen output (lm)	Efficacy (lm/W)	CRI	Life L70 (hrs)	Dimming (Yes/No)	Case qty (master)
<b>48"</b>										
69046	L2SSQ-48LS2-Q/3C	45	120-347	3 500/4 000/5 000	5 985	133	80+	186 000	Yes	9
<b>96"</b>										
69047	L2SSQ-96LS2-Q/3C	90	120-347	3 500/4 000/5 000	11 970	133	80+	186 000	Yes	1

## Compatible Accessories

Order code	Type
69328	V-Hooks (set of 2)
68676	Suspension kit - 2 chains (1 m) <sup>1</sup>
69082	10' Aviation cable kit with canopy and dimming wire
68688	Continuous row mounting connector
69069	External mount PIR motion sensor (120-277 V only)
69080	Remote control for PIR motion sensor
68686	Wireguard kit 48"
68687	Wireguard kit 96"
69066	Replacement lens 48"
69067	Replacement lens 96"

<sup>1</sup>Must be used in conjunction with 69328.